



10 tips to help parents and carers with a life-limiting illness have conversations with their children

Parents and carers with life-limiting illnesses often look to professionals for advice and reassurance on how to talk to their children about their condition. As professionals, we have a responsibility to guide and support them through these difficult conversations.

However, many professionals feel inexperienced and ill-equipped around this sensitive issue, which can impact on their readiness to start conversations with parents about their children.

We've put together these 10 tips to help you do this. The tips are based on interviews with professionals, parents, and children (up to 18 years old) from diverse backgrounds.

Having these conversations can be a challenging aspect of your role as a professional, particularly if you are a parent of young children yourself. It may be helpful to discuss your fears and emotions with a colleague beforehand.

1. Acknowledge how difficult these conversations can be

Having conversations with parents who have a life-limiting illness about their children can be a challenging part of your role.

You could approach the conversation by saying:

“I’m sure this must be very difficult for you, but have you talked to your children about your illness?”

Parents with a poor prognosis are often unsure how best to prepare and support their children. Some parents may feel that they’re protecting their children by not telling them about the illness, as they fear it will be upsetting and cause anxiety.

A way to approach this could be to say:

“Your children may well pick up that something is wrong and can feel scared and unimportant if they do not know the truth.”

Parents may be unsure who’s best placed to tell the children about the illness. You should reassure parents that they know their children best and it would be preferable if both parents told them, if and when appropriate.

Parents may feel uncertain of the right time to tell their children. As a professional, you can reassure them that there’s ‘no right time’ to tell the children that Mum or Dad isn’t going to survive their illness.

A way of approaching this issue may be:

“It may be best if you tell the children about your illness soon. They’ll probably know something is wrong and it would be better if they hear it from you.”

2. Explain that children want to be informed and involved

We know that children and young people want to be involved as much as possible when their parent is seriously ill. Usually, they sense that something is wrong. Not knowing the truth is confusing for children and can lead to them becoming anxious.

Children can get information about illnesses from multiple sources, such as the internet, which may not be accurate. They're also sensitive to what's going on around them. They may overhear whispered conversations in the home or notice visible changes in how their parent looks or behaves.

Open, factual, clear communication is best for children. Evidence tells us that children who are less prepared for the death of a parent have poorer psychological adjustment, both in the short-term and later in adult life.

By parents talking with their children, they have more control over the information that's shared and can make sure it's reflective of their situation. This can help children feel better supported and more secure at this upsetting time.

You should encourage parents to start this conversation with their children as soon as possible, perhaps by saying:

“Being honest with your children will allow them to express their fears and worries. Telling them the reality of your illness means they can be involved and you can support them through the process.”



3. Prepare parents for difficult questions

Children may ask challenging questions, and parents can often struggle with how to answer them. You should encourage parents to be honest with their children about the reality of the situation.

Here are some challenging questions parents may be asked by their children, with suggested responses:

Q. “Why can’t the doctors make Mum/Dad better?”

A: “The doctors and nurses are doing all they can to help Mum/Dad, but the disease is still there. The doctors and nurses will make sure Mum/Dad is well looked after.”

Q. “Is the illness my fault?”

A: “No, you absolutely have not caused Mum/Dad’s illness.”

Q. “Will Mum/Dad [the well parent] die too and who will look after me?”

A: “Mum/Dad is healthy and Granny/Grandad/Aunt/Uncle will also be there to look after you.”

Q. “Is Mum/Dad going to die?”

A: “The doctors and nurses are really going to try and control the disease, but Mum/Dad is not going to get better. The really sad news is she/he is going to die.”

Q. “What happens when you die?”

A: “Mum/Dad’s body will stop working and when she/he dies their heart will stop beating. That means Mum/Dad won’t need to eat, sleep and drink anymore.”

It can also be helpful to reassure parents that it’s okay to say “we don’t know” to some of the questions their children pose.

4. Encourage the use of plain language

It's important to encourage parents to use plain language, so their children understand the situation. Parents can often be unsure how to explain Mum/Dad's prognosis to their children in an age-appropriate way. Advise parents to avoid confusing terminology and euphemisms with their children, for example, encourage parents to use the word 'cancer' rather than 'lump', and 'die' rather than 'pass away'.

Parents should also inform others such as grandparents, aunts or uncles to use these terms if speaking to the children about their parent's illness.

Parents should also reinforce that this life-limiting condition is very different to illnesses that the child may have had, such as a cold, and make it clear that the parent's illness cannot be cured. Parents may draw on their religious beliefs when explaining their illness, or death. However, it's still important that children understand that the state of death is permanent.

Remind parents they may have to repeat information more than once to children, to make sure they understand it. Younger children can find 'chunks' of information at different times easier to understand.

A possible way for parents to start this conversation with their children could be:

“As you know, Mum/Dad has been getting chemotherapy for their cancer – the doctors have told us that it is not working as well as they had hoped, and the cancer is spreading in her/his body.”

“The really sad news is she/he is not going to get better.”

Parents should be encouraged to provide their children with ongoing information as the illness progresses.

5. Explain that showing emotion is appropriate

When sharing difficult news, reassure parents that it's okay for them and their children to express emotions. This conversation can be overwhelming for parents, and they might worry that they'll become tearful and emotional.

Let parents know that this is a healthy and appropriate way to respond. It helps children to understand the seriousness of the situation and gives them permission to express emotions too.

A possible way for parents to talk to their children about emotions could be:

“It’s okay at times for you to feel sad about Mum/Dad’s illness – all feelings are important and right now we feel sad too.”



istock

6. Children often respond and react differently

Explain to parents that children of all ages cope with challenging situations differently. For example, some may not cry when the news of the life-limiting illness is shared with them, others may be angry about the situation or have difficulty sleeping. It's important to reassure parents that these are all normal reactions for children to have. However, parents should be encouraged to seek support from a professional if they're concerned by their child's behaviour in response to the news.

Remind parents that some children may need more information about the illness and they should encourage their children to ask questions. Explain to parents that multiple conversations, particularly with younger children, might be necessary to ensure that the child has understood the information.

It may be helpful to encourage parents to say something like:

“We know this may be very confusing for you. You can talk to us or ask questions at any time. Or if you want to talk to someone else, like your teacher, that's okay too.”



7. Encourage parents not to provide false hope to their children

It's important that as professionals we make sure parents understand the severity of the illness and that we're providing them with accurate information. Encourage parents to be clear and honest when sharing this information with their children.

A possible way of approaching this with parents is to say:

“I know we want to remain hopeful, but it's important that your children know the truth about what's happening.”



8. Encourage parents to draw on their support network

People often want to help parents when Mum/Dad has a life-threatening condition and parents should be encouraged to make use of this support if and when required. Parents can also be encouraged to reach out for support from family, friends, the community or charities. Faith communities and schools can also be particularly supportive at difficult times.

Drawing on these support networks may help parents manage practical day-to-day activities, such as household chores or taking their children to school. Parents should also be encouraged to inform relevant professionals about their situation, such as schoolteachers and extracurricular activity leaders.

You might want to tell parents something like:

“I can see you have a lot on your plate right now. Is there anyone else that can give you some help or support?”



9. Encourage parents to maintain a routine

Children and parents often talk about the importance of having a routine and stability when a parent has a life-limiting illness. Parents should be encouraged to maintain family routines and activities as much as possible. This includes the children going to school and taking part in extracurricular and social activities.

We know children benefit from having regular breaks from the situation at home, so taking part in social activities and spending time with friends should be encouraged. It's important to encourage parents to maintain healthy boundaries in this time of uncertainty, such as usual bedtime routines.

You might want to approach this with parents by saying something like:

“It’s important for children to still have fun and time away from thinking about your illness.”



istock

10. Encourage forward planning

Parents can gain comfort from knowing their future wishes for their children will be respected. They may want to ‘put-off’ making preparations for the future until a later time, but this may mean they become too unwell and don’t have the opportunity to do so. When parents make plans for the future it makes it easier for the family to cope after the parent has died.

You should encourage parents to start making preparations for the future shortly after receiving the poor prognosis, while they’re still well. Key preparations may include making a Will, outlining funeral plans, and managing financial or legal matters such as guardianship for the children. Some parents may also want to capture memories by taking photos, audio-recordings or videos, while others may want to document memories by writing letters and cards for the child’s future.

A possible way of approaching this conversation with parents is to say:

“I understand it’s very difficult for you, but it’s really important to plan ahead when you are feeling well enough. This will help your family later on.”

▶ These tips have been developed to help you as a healthcare professional empower families who are facing a life-limiting illness.

▶ **More information**
For more information about terminal illness and bereavement go to mariecurie.org.uk

▶ References

Hanna, J. R., McCaughan, E., & Semple, C. J. (2019). Challenges and support needs of parents and children when a parent is at end of life: A systematic review. *Palliative Medicine*, 33(8), 1017-1044. <https://doi.org/10.1177/026921631985762>

Hanna, J. R., McCaughan, E., & Semple, C. J. (2020). Immediate bereavement experiences when a parent of dependent children has died of cancer: Funeral directors' perspectives. *Death Studies*, 1-10. <https://doi.org/10.1080/07481187.2020.1793433>

Hanna, J. R., McCaughan, E., Beck, E. R., & Semple, C. J. (2021). Providing care to parents dying from cancer with dependent children: Health and social care professionals' experience. *Psycho-Oncology*, 30(3), 331-339. <https://doi.org/10.1002/pon.5581>

Marshall, S., Fearnley, R., Bristowe, K., & Harding, R. (2021). The perspectives of children and young people affected by parental life-limiting illness: An integrative review and thematic synthesis. *Palliative Medicine*, 35(2), 246-260. <https://doi.org/10.1177/0269216320967590>

Marshall, S., Fearnley, R., Bristowe, K., & Harding, R. (2022). 'It's not just all about the fancy words and the adults': Recommendations for practice from a qualitative interview study with children and young people with a parent with a life-limiting

illness. *Palliative Medicine*. <https://doi.org/10.1177/02692163221105564>

McCaughan, E., Semple, C. J., & Hanna, J. R. (2021). 'Don't forget the children': a qualitative study when a parent is at end of life from cancer. *Supportive Care in Cancer*, 1-8. <https://doi.org/10.1007/s00520-021-06341-3>

Semple, C. J., McCaughan, E., Beck, E. R., & Hanna, J. R. (2021). 'Living in parallel worlds'—bereaved parents' experience of family life when a parent with dependent children is at end of life from cancer: A qualitative study. *Palliative Medicine*, 35(5), 933-942. <https://doi.org/10.1177/02692163211001719>

Semple, C. J., McCaughan, E., Smith, R., & Hanna, J. R. (2021). Parent's with incurable cancer: 'Nuts and bolts' of how professionals can support parents to communicate with their dependent children. *Patient Education and Counselling*. <https://doi.org/10.1016/j.pec.2021.06.032>